## Product data sheet

GUSTAV III (W. SHIELD ON SIDE FACING BUILDING) 9.683.3042.27


LEIPZIGER LEUCHTEN





Suitable for mounting heights from 3 metres to 4.50 metres, for medium lighting requirements. - Luminaire glazing made of UV-stabilised impact resistant clear polycarbonate - Extra glazing above the reflector - Special mirror disc reflector system made of highest grade aluminium, polished and anodised in order to direct the light and to protect against glare - Reflector ø 630 mm made of aluminium with special white powder coating for excellent reflection - Cap made of aluminium - Base made of corrosion-resistant cast aluminium - One gear tray includes all electrical components - Simple connection with adapter jack - Luminaire available in any RAL or DB colour as required - Special pole ø 76 mm for single and two brackets, please order separately (full range of poles see page 360 ff)

## Light output 1



1 x High pressure mercury vapour lamp		
Nominal lamp power	80 W	
Lamp flux	4000 lm	
Luminous efficacy	22 lm/W	
CCT	3400 K	
CRI	54	

LOR	50%
ULOR	10%
Total flux	1982 lm
Total power	89 W

Mounting mode

Pole top mounted

Shape and measurements

Height: 26.77 in Diameter: 24.80 in Electric

System power: 89 W