## Product data sheet

MORITZ II (1-ARMED) 9.117.2036.02

LEIPZIGER LEUCHTEN






CRI




Mounting height of 4.50 to 6.00 m for medium or high light requirements - Luminaire made of cast aluminium, varnished - Superior lighting due to computer-optimised reflector system for sodium vapour high pressure discharge with clear glass tube bulb - Cover of single-pane safety glass, hinged - Cable protection hosing made of braided stainless steel - All electrical parts fitted -Available in any required RAL or DB colour without extra price - Special ø102 mm pole for 4.50 m mounting height, ø114 mm pole for 6.00 m mounting height, including pole mounting hot-dip galvanised and varnished are part of the delivery Voltage: 230V 50Hz Protected to: IP 55 Protection class: I/II Made to DIN VDE 0711 Luminaires generally compensated

## Light output 1



| 1 x High pressure sodium vapour lamp |         |  |
|--------------------------------------|---------|--|
| Nominal lamp power                   | 50 W    |  |
| Lamp flux                            | 4200 lm |  |
| Luminous efficacy                    | 51 lm/W |  |
| CCT                                  | 2000 K  |  |

LOR 80%
Total flux 3340 lm
Total power 66 W



## 1 x High pressure sodium vapour lamp

| J 1                |         |             |
|--------------------|---------|-------------|
| Nominal lamp power | 70 W    | LOR         |
| Lamp flux          | 6600 lm | Total flux  |
| Luminous efficacy  | 63 lm/W | Total power |
| CCT                | 2000 K  |             |
| CRI                | 25      |             |

25

Mounting mode

Pole top mounted

Shape and measurements

Length: 21.26 in Width: 21.26 in Height: 6.89 in Electric

System power: 66-83 W

Protection

IP: 55

80% 5249 lm 83 W