Product data sheet

EVA III 9.751.2036.00

LEIPZIGER LEUCHTEN








For medium light requirements, mounting height 4.50 - 6.00 m. - Impact-resistant beaded polycarbonate attachment, UV-stabilized - Aluminium reflector finished in special white paint for max. light reflection - Corrosion-resistant cast aluminium unit carrier, painted - All electrical components on a block - Adapter jack for connection - Available in any RAL- or DB - colour without surcharge - For concrete pole with flange plate made of hot galvanized steel Voltage: 230V 50Hz Protected to: IP 55 Protection class: I/II Made to DIN VDE 0711


Light output 1



1 x High pressure sodium vapour lamp		
Nominal lamp power	50 W	
Lamp flux	3500 lm	

Luminous efficacy 47 lm/W CCT 2000 K
CRI 25

LOR 83%
ULOR 22%
Total flux 2920 lm
Total power 62 W



1 x High pressure sodium vapour lamp

Nominal lamp power	70 W	LOR
Lamp flux	5600 lm	ULOR
Luminous efficacy	56 lm/W	Total flux
CCT	2000 K	Total power
CBI	25	

83%

22%

4671 lm 83 W

Mounting mode

Pole top mounted

Shape and measurements

Height: 17.72 in Diameter: 15.75 in Electric

System power: 62-83 W

Protection

IP: 55