
Product data sheet

GEORG V (1-ARMED) 9.870.0128.04



With mounting heights between 3.00 and 4.00 m for medium and low light requirements. - Large shade, inside in special white paint for better reflection - Luminaire body made of aluminium/galvanized steel sheet, outside painted in colour, inside finished in special white pain - Impact-resistant polyethylene attachment rotates and locks into place for easy lamp replacement - Steel tubing galvanized and painted -Wired ready for connection - Connection by adapter jack -Available in any RAL or DB colour without surcharge -Order pole for single-bracket luminaire, dia. 60 mm,and pole for multi-bracket luminaire, dia. 76 mm,separately Voltage: 230V 50Hz Protected to: IP 54 Protection class: I/II Made to DIN VDE 0711 Luminaires generally compensatet


Light output 1



1 x High pressure sodium vapour lamp

IP 54

| Nominal lamp power | 50 W | LOR | 72% |
|--------------------|---------|-------------|---------|
| Lamp flux | 3500 lm | ULOR | 4% |
| Luminous efficacy | 41 lm/W | Total flux | 2515 lm |
| CCT | 2000 K | Total power | 62 W |
| CRI | 25 | | |
| | | | |



1 x High pressure sodium vapour lamp

| Nominal lamp power | 70 W | LOR | 72% |
|--------------------|---------|-------------|---------|
| Lamp flux | 5600 lm | ULOR | 4% |
| Luminous efficacy | 48 lm/W | Total flux | 4025 lm |
| CCT | 2000 K | Total power | 83 W |
| CRI | 25 | | |

| Mounting mode | Electric |
|------------------------|-----------------------|
| Pole top mounted | System power: 62-83 W |
| Shape and measurements | Protection |
| Height: 28.35 in | IP: 54 |
| Diameter: 22.83 in | |