

Product data sheet

CLARA VII (OPAL ATTACHMENT)


9.767.3062.00

LEIPZIGER LEUCHTEN



For medium/high light requirements, mounting height 4.00 – 7.00 m. - Impact-resistant clear/opal polycarbonate attachment,UV- stabilized - High-pressure lamps with coated bulbs use reflector lamellae made of premium highest-grade aluminium, burnishid and anodized, for light guidance and glare limitation - Computer-optimized reflector system for high-pressure lamps with clear glass tubular bulbs ensures excellent illumination -Aluminium reflector finished in special white paint for max. light reflection - Corrosion-resistant cast aluminium unit carrier, painted - All electrical components on one block - Adapter jack connection -Available in any RAL or DB colour without surcharge - for post dia. 76mm; order post dia.76mm separately

Light output 1



1 x High pressure mercury vapour lamp

Nominal lamp power	125 W	LOR	58%
Lamp flux	6800 lm	ULOR	13%
Luminous efficacy	29 lm/W	Total flux	3918 lm
CCT	3400 K	Total power	137 W
CRI	54		

Mounting mode

Pole top mounted

Shape and measurements

Height: 27.56 in

Diameter: 29.92 in

Design

Material impression: Matt

Color of housing: Black

Electric

System power: 137 W

Ballast: ECG

Controller: DALI

Protection

Designation labels: CE

Other operating numbers

Ambient temperature range: -13...95°F