

Product data sheet


FL2310/6
CHARISMA
FRANKLITE




IP
20

Charisma 6 light Fitting Chrome finish fitting with a central column of crystals surrounded by glass rods


Light output 1



1 x LED			
Nominal lamp power	10 W	Socket	E27
Lamp flux	806 lm	LOR	100%
Luminous efficacy	81 lm/W	ULOR	20%
CCT	2700 K	Total flux	806 lm
CRI	80	Total power	10 W




1 x LED			
Nominal lamp power	6 W	Socket	E27
Lamp flux	470 lm	LOR	100%
Luminous efficacy	100 lm/W	ULOR	34%
CCT	3000 K	Total flux	470 lm
CRI	80	Total power	6 W




1 x LED			
Nominal lamp power	6 W	Socket	E27
Lamp flux	470 lm	LOR	100%
Luminous efficacy	78 lm/W	ULOR	18%
CCT	3000 K	Total flux	470 lm
CRI	80	Total power	6 W


Light output 2



1 x LED			
Nominal lamp power	10 W	Socket	E27
Lamp flux	806 lm	LOR	100%
Luminous efficacy	81 lm/W	ULOR	20%
CCT	2700 K	Total flux	806 lm
CRI	80	Total power	10 W




1 x LED			
Nominal lamp power	6 W	Socket	E27
Lamp flux	470 lm	LOR	100%
Luminous efficacy	100 lm/W	ULOR	34%
CCT	3000 K	Total flux	470 lm
CRI	80	Total power	6 W




1 x LED			
Nominal lamp power	6 W	Socket	E27
Lamp flux	470 lm	LOR	100%
Luminous efficacy	78 lm/W	ULOR	18%
CCT	3000 K	Total flux	470 lm
CRI	80	Total power	6 W


Light output 3



1 x LED			
Nominal lamp power	10 W	Socket	E27
Lamp flux	806 lm	LOR	100%
Luminous efficacy	81 lm/W	ULOR	20%
CCT	2700 K	Total flux	806 lm
CRI	80	Total power	10 W



1 x LED			
Nominal lamp power	6 W	Socket	E27
Lamp flux	470 lm	LOR	100%
Luminous efficacy	100 lm/W	ULOR	34%
CCT	3000 K	Total flux	470 lm
CRI	80	Total power	6 W



1 x LED


Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

6 W
470 lm
78 lm/W
3000 K
80

Socket
LOR
ULOR
Total flux
Total power

E27
100%
18%
470 lm
6 W

Light output 4




1 x LED

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

10 W
806 lm
81 lm/W
2700 K
80

Socket
LOR
ULOR
Total flux
Total power

E27
100%
20%
806 lm
10 W




1 x LED

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

6 W
470 lm
100 lm/W
3000 K
80

Socket
LOR
ULOR
Total flux
Total power

E27
100%
34%
470 lm
6 W



1 x LED


Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

6 W
470 lm
78 lm/W
3000 K
80

Socket
LOR
ULOR
Total flux
Total power

E27
100%
18%
470 lm
6 W

Light output 5




1 x LED

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

10 W
806 lm
81 lm/W
2700 K
80

Socket
LOR
ULOR
Total flux
Total power

E27
100%
20%
806 lm
10 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

6 W
470 lm
100 lm/W
3000 K
80

Socket
LOR
ULOR
Total flux
Total power

E27
100%
34%
470 lm
6 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

6 W
470 lm
78 lm/W
3000 K
80

Socket
LOR
ULOR
Total flux
Total power

E27
100%
18%
470 lm
6 W


Light output 6**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

10 W
806 lm
81 lm/W
2700 K
80

Socket
LOR
ULOR
Total flux
Total power

E27
100%
20%
806 lm
10 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

6 W
470 lm
100 lm/W
3000 K
80

Socket
LOR
ULOR
Total flux
Total power

E27
100%
34%
470 lm
6 W

**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

6 W
470 lm
78 lm/W
3000 K
80

Socket
LOR
ULOR
Total flux
Total power

E27
100%
18%
470 lm
6 W

Mounting mode

Pendant

Electric

System power: 36-60 W

Protection

IP: 20

Shape and measurements

Length: 17.72 in

Width: 17.72 in

Height: 53.20 in

Adjustability

Fixed