



Product data sheet

PML WITH BRACKET VILLAGE 300 - SUSPENDED SINGLE 4000K
13.19500.0VXXX + 10.20511.0V001
HESS




Rundes Leuchtendach aus Aluminium. Einfassung durch zweiteilige Haltestangen und fünf Designringe aus Aluminium. Zylindrisches Leuchtenglas aus PMMA, im oberen Bereich Satiné-Optik. Mastaufnahme aus Aluminium.


Light output 1




1 x LED			
Nominal lamp power	27 W	LOR	100%
Lamp flux	2235 lm	Total flux	2235 lm
Luminous efficacy	83 lm/W	Total power	27 W
CCT	4000 K		
CRI	80		



1 x LED			
Nominal lamp power	27 W	LOR	100%
Lamp flux	3203 lm	Total flux	3203 lm
Luminous efficacy	119 lm/W	Total power	27 W
CCT	4000 K		
CRI	80		



1 x LED			
Nominal lamp power	37 W	LOR	100%
Lamp flux	3054 lm	Total flux	3054 lm
Luminous efficacy	83 lm/W	Total power	37 W
CCT	4000 K		
CRI	80		


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

37 W
4602 lm
124 lm/W
4000 K
80

LOR
Total flux
Total power

100%
4602 lm
37 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

37 W
3172 lm
86 lm/W
4000 K
80

LOR
Total flux
Total power

100%
3172 lm
37 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

37 W
4578 lm
124 lm/W
4000 K
80

LOR
Total flux
Total power

100%
4578 lm
37 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

37 W
3138 lm
85 lm/W
4000 K
80

LOR
Total flux
Total power

100%
3138 lm
37 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

37 W
4575 lm
124 lm/W
4000 K
80

LOR
Total flux
Total power


100%
4575 lm
37 W



1 x LED

Nominal lamp power	37 W
Lamp flux	2912 lm
Luminous efficacy	79 lm/W
CCT	4000 K
CRI	80


LOR	100%
Total flux	2912 lm
Total power	37 W



1 x LED

Nominal lamp power	27 W
Lamp flux	2123 lm
Luminous efficacy	79 lm/W
CCT	4000 K
CRI	80


LOR	100%
Total flux	2123 lm
Total power	27 W



1 x LED

Nominal lamp power	37 W
Lamp flux	3083 lm
Luminous efficacy	83 lm/W
CCT	4000 K
CRI	80


LOR	100%
Total flux	3083 lm
Total power	37 W



1 x LED

Nominal lamp power	27 W
Lamp flux	2904 lm
Luminous efficacy	108 lm/W
CCT	4000 K
CRI	80


LOR	100%
Total flux	2904 lm
Total power	27 W



1 x LED

Nominal lamp power	27 W
Lamp flux	2093 lm
Luminous efficacy	78 lm/W
CCT	4000 K
CRI	80


LOR	100%
Total flux	2093 lm
Total power	27 W



1 x LED

Nominal lamp power	27 W
Lamp flux	3293 lm
Luminous efficacy	122 lm/W
CCT	4000 K
CRI	80


LOR	100%
Total flux	3293 lm
Total power	27 W



1 x LED

Nominal lamp power	27 W
Lamp flux	2194 lm
Luminous efficacy	81 lm/W
CCT	4000 K
CRI	80


LOR	100%
Total flux	2194 lm
Total power	27 W



1 x LED

Nominal lamp power	27 W
Lamp flux	3222 lm
Luminous efficacy	119 lm/W
CCT	4000 K
CRI	80


LOR	100%
Total flux	3222 lm
Total power	27 W



1 x LED

Nominal lamp power	27 W
Lamp flux	2279 lm
Luminous efficacy	84 lm/W
CCT	4000 K
CRI	80


LOR	100%
Total flux	2279 lm
Total power	27 W



1 x LED

Nominal lamp power	27 W
Lamp flux	3204 lm
Luminous efficacy	119 lm/W
CCT	4000 K
CRI	80


LOR	100%
Total flux	3204 lm
Total power	27 W



1 x LED

Nominal lamp power	27 W
Lamp flux	2255 lm
Luminous efficacy	84 lm/W
CCT	4000 K
CRI	80


LOR	100%
Total flux	2255 lm
Total power	27 W



1 x LED

Nominal lamp power	27 W
Lamp flux	2170 lm
Luminous efficacy	80 lm/W
CCT	4000 K
CRI	80


LOR	100%
Total flux	2170 lm
Total power	27 W



1 x LED

Nominal lamp power	53 W
Lamp flux	4349 lm
Luminous efficacy	82 lm/W
CCT	4000 K
CRI	80


LOR	100%
Total flux	4349 lm
Total power	53 W



1 x LED

Nominal lamp power	53 W
Lamp flux	4052 lm
Luminous efficacy	76 lm/W
CCT	4000 K
CRI	80


LOR	100%
Total flux	4052 lm
Total power	53 W



1 x LED

Nominal lamp power	53 W
Lamp flux	4266 lm
Luminous efficacy	80 lm/W
CCT	4000 K
CRI	80

LOR	100%
Total flux	4266 lm
Total power	53 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

53 W
5543 lm
105 lm/W
4000 K
80

LOR
Total flux
Total power

100%
5543 lm
53 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

53 W
6018 lm
114 lm/W
4000 K
80

LOR
Total flux
Total power

100%
6018 lm
53 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

53 W
4227 lm
80 lm/W
4000 K
80

LOR
Total flux
Total power

100%
4227 lm
53 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

53 W
3993 lm
75 lm/W
4000 K
80

LOR
Total flux
Total power

100%
3993 lm
53 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

53 W
6256 lm
118 lm/W
4000 K
80


LOR
Total flux
Total power

100%
6256 lm
53 W

**1 x LED**


Nominal lamp power 37 W
Lamp flux 4704 lm
Luminous efficacy 127 lm/W
CCT 4000 K
CRI 80

LOR 100%
Total flux 4704 lm
Total power 37 W

**1 x LED**


Nominal lamp power 53 W
Lamp flux 6120 lm
Luminous efficacy 115 lm/W
CCT 4000 K
CRI 80

LOR 100%
Total flux 6120 lm
Total power 53 W

**1 x LED**


Nominal lamp power 53 W
Lamp flux 4141 lm
Luminous efficacy 78 lm/W
CCT 4000 K
CRI 80

LOR 100%
Total flux 4141 lm
Total power 53 W

**1 x LED**


Nominal lamp power 53 W
Lamp flux 6088 lm
Luminous efficacy 115 lm/W
CCT 4000 K
CRI 80

LOR 100%
Total flux 6088 lm
Total power 53 W

**1 x LED**

Nominal lamp power 53 W
Lamp flux 4303 lm
Luminous efficacy 81 lm/W
CCT 4000 K
CRI 80


LOR 100%
Total flux 4303 lm
Total power 53 W



1 x LED

Nominal lamp power	53 W
Lamp flux	6084 lm
Luminous efficacy	115 lm/W
CCT	4000 K
CRI	80


LOR	100%
Total flux	6084 lm
Total power	53 W



1 x LED

Nominal lamp power	37 W
Lamp flux	3020 lm
Luminous efficacy	82 lm/W
CCT	4000 K
CRI	80


LOR	100%
Total flux	3020 lm
Total power	37 W



1 x LED

Nominal lamp power	37 W
Lamp flux	2955 lm
Luminous efficacy	80 lm/W
CCT	4000 K
CRI	80


LOR	100%
Total flux	2955 lm
Total power	37 W



1 x LED

Nominal lamp power	37 W
Lamp flux	3111 lm
Luminous efficacy	84 lm/W
CCT	4000 K
CRI	80


LOR	100%
Total flux	3111 lm
Total power	37 W



1 x LED


Nominal lamp power	37 W
Lamp flux	4042 lm
Luminous efficacy	109 lm/W
CCT	4000 K
CRI	80

LOR	100%
Total flux	4042 lm
Total power	37 W



1 x LED

Nominal lamp power	37 W	LOR	100%
Lamp flux	4526 lm	Total flux	4526 lm
Luminous efficacy	122 lm/W	Total power	37 W
CCT	4000 K		
CRI	80		



1 x LED

Nominal lamp power	53 W	LOR	100%
Lamp flux	4188 lm	Total flux	4188 lm
Luminous efficacy	79 lm/W	Total power	53 W
CCT	4000 K		
CRI	80		

Mounting mode

Pole top mounted

Shape and measurements

Length: 38.78 in

Width: 14.72 in

Height: 29.03 in

Adjustability

Fixed

Electric

System power: 27-53 W

Protection

IP: 65