
Product data sheet


PML WITH BRACKET LIVORNO XL DOUBLE 3000K 10.14103.0VXXX + 10.34100.2V001

HESS




Design luminaire body made of cast aluminium. Luminaire enclosure made of single-pane safety glass, opens without tools. LIVORNO S: Luminaire for pole top mounting. Fitted with LED up to approx. 53W. LIVORNO XL: Luminaire for pole top and side mounting. For pole top mounted installation, angle of 0° and 5° possible. Fitted with LED up to approx. 107W. 10.34100.2V001 ZOPF 76,1 MM Bracket LIVORNO 800 double Made of galvanised steel Projection 1600 mm Spigot ø 76,1 mm (pole + luminaire) Colour: DB 703


Light output 1



1 x LED			
Nominal lamp power	77 W	LOR	
Lamp flux	11378 lm	Total flux	
Luminous efficacy	148 lm/W	Total power	
CCT	3000 K		
CRI	80		



1 x LED			
Nominal lamp power	37 W	LOR	100%
Lamp flux	5322 lm	Total flux	5322 lm
Luminous efficacy	144 lm/W	Total power	37 W
CCT	3000 K		
CRI	80		



1 x LED			
Nominal lamp power	37 W	LOR	100%
Lamp flux	4906 lm	Total flux	4906 lm
Luminous efficacy	133 lm/W	Total power	37 W
CCT	3000 K		
CRI	80		


100% 11378 lm 77 W

1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	37 W 5511 lm 149 lm/W 3000 K 80	LOR Total flux Total power	100% 5511 lm 37 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	37 W 5687 lm 154 lm/W 3000 K 80	LOR Total flux Total power	100% 5687 lm 37 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	37 W 5105 lm 138 lm/W 3000 K 80	LOR Total flux Total power	100% 5105 lm 37 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	53 W 7566 lm 143 lm/W 3000 K 80	LOR Total flux Total power	100% 7566 lm 53 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	53 W 7076 lm 134 lm/W 3000 K 80	LOR Total flux Total power	100% 7076 lm 53 W

1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	53 W 6524 lm 123 lm/W 3000 K 80	LOR Total flux Total power	100% 6524 lm 53 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	53 W 7329 lm 138 lm/W 3000 K 80	LOR Total flux Total power	100% 7329 lm 53 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	37 W 5690 lm 154 lm/W 3000 K 80	LOR Total flux Total power	100% 5690 lm 37 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	53 W 6789 lm 128 lm/W 3000 K 80	LOR Total flux Total power	100% 6789 lm 53 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	107 W 13546 lm 127 lm/W 3000 K 80	LOR Total flux Total power	100% 13546 lm 107 W

1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	77 W 10643 lm 138 lm/W 3000 K 80	LOR Total flux Total power	100% 10643 lm 77 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	77 W 9812 lm 127 lm/W 3000 K 80	LOR Total flux Total power	100% 9812 lm 77 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	77 W 11022 lm 143 lm/W 3000 K 80	LOR Total flux Total power	100% 11022 lm 77 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	77 W 11374 lm 148 lm/W 3000 K 80	LOR Total flux Total power	100% 11374 lm 77 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	77 W 10186 lm 132 lm/W 3000 K 80	LOR Total flux Total power	100% 10186 lm 77 W


14XVIII(X+1+	1 x LED			
	Nominal lamp power	107 W	LOR	100%
	Lamp flux	15131 lm	Total flux	15131 lm
	Luminous efficacy	141 lm/W	Total power	107 W
	CCT	3000 K		
	CRI	80		
X				
	1 x LED			
	Nominal lamp power	107 W	LOR	100%
	Lamp flux	14152 lm	Total flux	14152 lm
	Luminous efficacy	132 lm/W	Total power	107 W
XXX	CCT	3000 K		
	CRI	80		
M XVIIIVX III	1 x LED			
	Nominal lamp power	107 W	LOR	100%
	Lamp flux	13047 lm	Total flux	13047 lm
	Luminous efficacy	122 lm/W	Total power	107 W
	CCT	3000 K		
	CRI	80		
XXXX				
1478)m(X+1-1	1 x LED			
	Nominal lamp power	107 W	LOR	100%
	Lamp flux	14656 lm	Total flux	14656 lm
XXXXX	Luminous efficacy	137 lm/W	Total power	107 W
XXX HIV	CCT	3000 K		
	CRI	80		
XX				
XXXX				
1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	1 x LED			
	Nominal lamp power	107 W	LOR	100%
	Lamp flux	15125 lm	Total flux	15125 lm
	Luminous efficacy	141 lm/W	Total power	107 W
XXXXX	CCT	3000 K		
XXXXX	CRI	80		
X				



1 x LED


Nominal lamp power	53 W	LOR	100%
Lamp flux	7562 lm	Total flux	7562 lm
Luminous efficacy	143 lm/W	Total power	53 W
CCT	3000 K		
CRI	80		

Light output 2




1 x LED

Nominal lamp power	77 W	LOR	100%
Lamp flux	11378 lm	Total flux	11378 lm
Luminous efficacy	148 lm/W	Total power	77 W
CCT	3000 K		
CRI	80		




1 x LED

Nominal lamp power	37 W	LOR	100%
Lamp flux	5322 lm	Total flux	5322 lm
Luminous efficacy	144 lm/W	Total power	37 W
CCT	3000 K		
CRI	80		



1 x LED

Nominal lamp power	37 W	LOR	100%
Lamp flux	4906 lm	Total flux	4906 lm
Luminous efficacy	133 lm/W	Total power	37 W
CCT	3000 K		
CRI	80		




1 x LED

I X LLD			
Nominal lamp power	37 W	LOR	100%
Lamp flux	5511 lm	Total flux	5511 lm
Luminous efficacy	149 lm/W	Total power	37 W
CCT	3000 K		
CRI	80		

1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	37 W 5687 lm 154 lm/W 3000 K 80	LOR Total flux Total power	100% 5687 lm 37 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	37 W 5105 lm 138 lm/W 3000 K 80	LOR Total flux Total power	100% 5105 lm 37 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	53 W 7566 lm 143 lm/W 3000 K 80	LOR Total flux Total power	100% 7566 lm 53 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	53 W 7076 lm 134 lm/W 3000 K 80	LOR Total flux Total power	100% 7076 lm 53 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	53 W 6524 lm 123 lm/W 3000 K 80	LOR Total flux Total power	100% 6524 lm 53 W


1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	53 W 7329 lm 138 lm/W 3000 K 80	LOR Total flux Total power	100% 7329 lm 53 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	37 W 5690 lm 154 lm/W 3000 K 80	LOR Total flux Total power	100% 5690 lm 37 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	53 W 6789 lm 128 lm/W 3000 K 80	LOR Total flux Total power	100% 6789 lm 53 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	107 W 13546 lm 127 lm/W 3000 K 80	LOR Total flux Total power	100% 13546 lm 107 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	77 W 10643 lm 138 lm/W 3000 K 80	LOR Total flux Total power	100% 10643 lm 77 W

1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	77 W 9812 lm 127 lm/W 3000 K 80	LOR Total flux Total power	100% 9812 lm 77 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	77 W 11022 lm 143 lm/W 3000 K 80	LOR Total flux Total power	100% 11022 lm 77 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	77 W 11374 lm 148 lm/W 3000 K 80	LOR Total flux Total power	100% 11374 lm 77 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	77 W 10186 lm 132 lm/W 3000 K 80	LOR Total flux Total power	100% 10186 lm 77 W
1 x LED Nominal lamp power Lamp flux Luminous efficacy CCT CRI	107 W 15131 lm 141 lm/W 3000 K 80	LOR Total flux Total power	100% 15131 lm 107 W




1 x LED

Nominal lamp power	107 W	LOR	100%
Lamp flux	14152 lm	Total flux	14152 lm
Luminous efficacy	132 lm/W	Total power	107 W
CCT	3000 K		
CRI	80		




1 x LED

I X LLD			
Nominal lamp power	107 W	LOR	100%
Lamp flux	13047 lm	Total flux	13047 lm
Luminous efficacy	122 lm/W	Total power	107 W
CCT	3000 K		
CRI	80		




1 x LED

TALLD			
Nominal lamp power	107 W	LOR	100%
Lamp flux	14656 lm	Total flux	14656 lm
Luminous efficacy	137 lm/W	Total power	107 W
CCT	3000 K		
CRI	80		



1 x LED

I X LED			
Nominal lamp power	107 W	LOR	100%
Lamp flux	15125 lm	Total flux	15125 lm
Luminous efficacy	141 lm/W	Total power	107 W
CCT	3000 K		
CRI	80		



1 x LED

Nominal lamp power	53 W	LOR	100%
Lamp flux	7562 lm	Total flux	7562 lm
Luminous efficacy	143 lm/W	Total power	53 W
CCT	3000 K		
CRI	80		

Mounting mode

Pole top mounted

Shape and measurements

Length: 68.26 in Width: 4.00 in Height: 12.94 in Electric

System power: 74-214 W

Protection

IP: 65

Designation labels: CE, ENEC

Adjustability

Fixed

Design

Color of housing: White