


Product data sheet

HENNING
5.903.2032.05
LEIPZIGER LEUCHTEN



Suitable for mounting heights from 4 to 5 metres for medium lighting requirements. - Luminaire glazing made of UV-stabilised impact resistant clear textured polycarbonate - Luminaire canopy made of UV-stabilised impact resistant polycarbonate - Special reflector system made of highest grade aluminium, polished and anodised, in order to direct the light and to protect against glare. - Holder for gear tray made of cast aluminium, powder coated - Connection with adapter jack - Available powder coated in any RAL or DB colour as required – without surcharge - Special pole \varnothing 60 mm, please order separately (full range of poles see page 360 ff)

Light output 1



1 x High pressure sodium vapour lamp

Nominal lamp power	70 W	LOR	64%
Lamp flux	5600 lm	ULOR	2%
Luminous efficacy	43 lm/W	Total flux	3586 lm
CCT	2000 K	Total power	83 W
CRI	25		

Mounting mode

Pole top mounted

Shape and measurements

Height: 19.69 in

Diameter: 27.17 in

Design

Material impression: Matt

Color of housing: Black

Electric

System power: 83 W

Ballast: ECG

Protection

Designation labels: CE

Other operating numbers

Ambient temperature range: 14...95°F