


# Product data sheet

SMART KUP 160 DIFFUSE IP55 LED GE 2700K WIDE FLOOD BLACK STRUC  
13025032  
MODULAR




Subtle lighting Smart kup is one of the 3 forms of the Smart family. The cone of the Smart kup ends in a fine trim. A trim particular Modular. The same subtle trim is used in several other Modular luminaires. The Smart family's styling is based on our most popular designs. Concretely this means that the luminaires consist of a light source (LED or halogen) which can be combined with one of three trims to suit your needs. The new spotlights can be combined with Smart mask, Smart surface box or surface tubed to form the perfect solution for any interior. Choose a white, black or gold finishing. Also available in different sizes, fix and adjustable, IP version, ...


## Light output 1




1 x LED			
Nominal lamp power	30.8 W	LOR	74%
Lamp flux	3415 lm	Total flux	2525 lm
Luminous efficacy	82 lm/W	Total power	30.8 W
CCT	2700 K		
CRI	90		



1 x LED			
Nominal lamp power	36.3 W	LOR	74%
Lamp flux	3949 lm	Total flux	2920 lm
Luminous efficacy	80 lm/W	Total power	36.3 W
CCT	2700 K		
CRI	90		




1 x LED			
Nominal lamp power	49.7 W	LOR	74%
Lamp flux	5107 lm	Total flux	3776 lm
Luminous efficacy	76 lm/W	Total power	49.7 W
CCT	2700 K		
CRI	90		




**1 x LED**

Nominal lamp power	16 W	LOR	74%
Lamp flux	2020 lm	Total flux	1493 lm
Luminous efficacy	93 lm/W	Total power	16 W
CCT	2700 K		
CRI	90		



**1 x LED**

Nominal lamp power	23.5 W	LOR	74%
Lamp flux	2751 lm	Total flux	2034 lm
Luminous efficacy	87 lm/W	Total power	23.5 W
CCT	2700 K		
CRI	90		



**1 x LED**

Nominal lamp power	42 W	LOR	74%
Lamp flux	4436 lm	Total flux	3280 lm
Luminous efficacy	78 lm/W	Total power	42 W
CCT	2700 K		
CRI	90		

**Mounting mode**

Ceiling recessed

**Shape and measurements**

Length: 6.30 in

Width: 6.30 in

Height: 5.08 in

Weight: 0.91 kg

**Adjustability**

Fixed

**Electric**

System power: 16-49.7 W

Appliance Class: II

**Protection**

IP: 55