



Product data sheet

PML WITH BRACKET RESIDENZA D DOUBLE 3000K
10.10951.0VXXX + 10.20923.4000VXXX
HESS




Protective cover made of aluminium. Luminaire rests on four aluminium rods, concealed by design sheet. Cylindrical luminaire body made of cast aluminium, universal holder for poles with spigot 60.3 - 82.5 mm. Luminaire enclosure made of PMMA, clear. Diameter 200mm.
10.20923.4000VXXX Pole with bracket RESIDENZA D double Designed pole from rectangular steel section, galvanised LSH 4144 mm With inspection-door and C-rail for fuse-box Double bracket made of galvanised steel Overhanging 500 mm on each side Colour: DB 703 or all RAL- (classic- single shades), Hess-DB and Hess-Glimmer-colours. RAL pearl-mica-metallic-shades on request.


Light output 1




1 x LED			
Nominal lamp power	20 W	LOR	100%
Lamp flux	2331 lm	Total flux	2331 lm
Luminous efficacy	117 lm/W	Total power	20 W
CCT	3000 K		
CRI	80		



1 x LED			
Nominal lamp power	15 W	LOR	100%
Lamp flux	1629 lm	Total flux	1629 lm
Luminous efficacy	109 lm/W	Total power	15 W
CCT	3000 K		
CRI	80		




1 x LED			
Nominal lamp power	15 W	LOR	100%
Lamp flux	1689 lm	Total flux	1689 lm
Luminous efficacy	113 lm/W	Total power	15 W
CCT	3000 K		
CRI	80		

**1 x LED**


Nominal lamp power 15 W
Lamp flux 1554 lm
Luminous efficacy 104 lm/W
CCT 3000 K
CRI 80

LOR 100%
Total flux 1554 lm
Total power 15 W

**1 x LED**


Nominal lamp power 15 W
Lamp flux 1632 lm
Luminous efficacy 109 lm/W
CCT 3000 K
CRI 80

LOR 100%
Total flux 1632 lm
Total power 15 W

**1 x LED**


Nominal lamp power 15 W
Lamp flux 1580 lm
Luminous efficacy 105 lm/W
CCT 3000 K
CRI 80

LOR 100%
Total flux 1580 lm
Total power 15 W

**1 x LED**


Nominal lamp power 20 W
Lamp flux 2330 lm
Luminous efficacy 116 lm/W
CCT 3000 K
CRI 80

LOR 100%
Total flux 2330 lm
Total power 20 W

**1 x LED**

Nominal lamp power 20 W
Lamp flux 2327 lm
Luminous efficacy 116 lm/W
CCT 3000 K
CRI 80

LOR 100%
Total flux 2327 lm
Total power 20 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

15 W
1631 lm
109 lm/W
3000 K
80

LOR
Total flux
Total power

100%
1631 lm
15 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

20 W
2220 lm
111 lm/W
3000 K
80

LOR
Total flux
Total power

100%
2220 lm
20 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

28 W
3015 lm
108 lm/W
3000 K
80

LOR
Total flux
Total power

100%
3015 lm
28 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

20 W
2200 lm
110 lm/W
3000 K
80

LOR
Total flux
Total power

100%
2200 lm
20 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

28 W
3093 lm
110 lm/W
3000 K
80

LOR
Total flux
Total power

100%
3093 lm
28 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

28 W
3087 lm
110 lm/W
3000 K
80

LOR
Total flux
Total power

100%
3087 lm
28 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

28 W
3209 lm
115 lm/W
3000 K
80

LOR
Total flux
Total power

100%
3209 lm
28 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

28 W
2952 lm
105 lm/W
3000 K
80

LOR
Total flux
Total power

100%
2952 lm
28 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

28 W
3037 lm
108 lm/W
3000 K
80

LOR
Total flux
Total power

100%
3037 lm
28 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI


28 W
3098 lm
111 lm/W
3000 K
80

LOR
Total flux
Total power


100%
3098 lm
28 W

**1 x LED**


Nominal lamp power	20 W	LOR	100%
Lamp flux	2413 lm	Total flux	2413 lm
Luminous efficacy	121 lm/W	Total power	20 W
CCT	3000 K		
CRI	80		

Light output 2**1 x LED**


Nominal lamp power	20 W	LOR	100%
Lamp flux	2331 lm	Total flux	2331 lm
Luminous efficacy	117 lm/W	Total power	20 W
CCT	3000 K		
CRI	80		

**1 x LED**


Nominal lamp power	15 W	LOR	100%
Lamp flux	1629 lm	Total flux	1629 lm
Luminous efficacy	109 lm/W	Total power	15 W
CCT	3000 K		
CRI	80		

**1 x LED**

Nominal lamp power	15 W	LOR	100%
Lamp flux	1689 lm	Total flux	1689 lm
Luminous efficacy	113 lm/W	Total power	15 W
CCT	3000 K		
CRI	80		


**1 x LED**

Nominal lamp power	15 W	LOR	100%
Lamp flux	1554 lm	Total flux	1554 lm
Luminous efficacy	104 lm/W	Total power	15 W
CCT	3000 K		
CRI	80		

**1 x LED**


Nominal lamp power	15 W
Lamp flux	1632 lm
Luminous efficacy	109 lm/W
CCT	3000 K
CRI	80

LOR	100%
Total flux	1632 lm
Total power	15 W

**1 x LED**


Nominal lamp power	15 W
Lamp flux	1580 lm
Luminous efficacy	105 lm/W
CCT	3000 K
CRI	80

LOR	100%
Total flux	1580 lm
Total power	15 W

**1 x LED**


Nominal lamp power	20 W
Lamp flux	2330 lm
Luminous efficacy	116 lm/W
CCT	3000 K
CRI	80

LOR	100%
Total flux	2330 lm
Total power	20 W

**1 x LED**


Nominal lamp power	20 W
Lamp flux	2327 lm
Luminous efficacy	116 lm/W
CCT	3000 K
CRI	80

LOR	100%
Total flux	2327 lm
Total power	20 W

**1 x LED**

Nominal lamp power	15 W
Lamp flux	1631 lm
Luminous efficacy	109 lm/W
CCT	3000 K
CRI	80

LOR	100%
Total flux	1631 lm
Total power	15 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

20 W
2220 lm
111 lm/W
3000 K
80

LOR
Total flux
Total power

100%
2220 lm
20 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

28 W
3015 lm
108 lm/W
3000 K
80

LOR
Total flux
Total power

100%
3015 lm
28 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

20 W
2200 lm
110 lm/W
3000 K
80

LOR
Total flux
Total power

100%
2200 lm
20 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

28 W
3093 lm
110 lm/W
3000 K
80

LOR
Total flux
Total power

100%
3093 lm
28 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

28 W
3087 lm
110 lm/W
3000 K
80

LOR
Total flux
Total power

100%
3087 lm
28 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

28 W
3209 lm
115 lm/W
3000 K
80

LOR
Total flux
Total power

100%
3209 lm
28 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

28 W
2952 lm
105 lm/W
3000 K
80

LOR
Total flux
Total power

100%
2952 lm
28 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

28 W
3037 lm
108 lm/W
3000 K
80

LOR
Total flux
Total power

100%
3037 lm
28 W


**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

28 W
3098 lm
111 lm/W
3000 K
80

LOR
Total flux
Total power

100%
3098 lm
28 W

**1 x LED**

Nominal lamp power
Lamp flux
Luminous efficacy
CCT
CRI

20 W
2413 lm
121 lm/W
3000 K
80

LOR
Total flux
Total power

100%
2413 lm
20 W

Mounting mode

Standing / Bollard, Pole top mounted

Shape and measurements

Length: 46.06 in

Width: 4.72 in

Height: 141.73 in

Electric

System power: 30-56 W

Protection

IP: 65

Adjustability

Fixed